OCR
Oxford Cambridge and RSA

An OCR endorsed teaching and learning tool

OCR A Level Computer Science

H446 – Paper 1

3

Programming paradigms

Unit 3
Software development

PG ONLINE

Objectives

- Understand the need for and characteristics of a variety of programming paradigms
- Describe the features of procedural languages
- Describe the features of declarative languages
- Describe the features of object-oriented languages
  - Develop an understanding of classes, objects, methods, attributes, inheritance, encapsulation and polymorphism

Programming languages

- Which programming language are you most familiar with?
- How would you describe the language – procedural? Object-oriented?
- How many different types of high-level programming language can you think of?

Four programming paradigms

- Procedural programming
  - Supported by Python, Basic, Pascal, C#
- Object-oriented programming
  - Supported by Java, C++, Visual Basic.NET, Python
- Declarative programming
  - Supported by SQL, Prolog
- Functional programming
  - Supported by Haskell, JavaScript, Logo

What is a programming paradigm?

- It’s a style or way of programming
  - Some languages support one paradigm (e.g. Small Basic supports procedural programming, Haskell supports functional programming)
  - Other languages support multiple paradigms (Python, C++, Java support object-oriented programming and procedural programming)

Imperative programming

- Languages which support imperative programming consist of a series of instructions that tell the computer what to do with the input in order to solve the problem
- Procedural programming is imperative programming with procedure calls
  - What else can you say about imperative programming?

Structured programming

- Structured programming could also be defined as a programming paradigm – a way of writing a program
- It is a kind of procedural (imperative) programming which uses the constructs sequence, selection, iteration and recursion rather than “goto” statements
- Modular techniques are used to split a large program into manageable chunks

Declarative programming

- SQL is a declarative language
- SQL statements describe the problem that is to
  be solved
- The language implementation then finds the best way of solving it
- It is used to create, amend and query databases

Logic programming

- Logic programming is a form of declarative programming
- It is a paradigm that expresses the logic of a computation without expressing its control flow
- Programs consist of logical statements
- Prolog is an example of a logic programming language

Worksheet 3

- Try **Task 1** on the worksheet

Programming in Prolog

- Statements are written in the form of facts and rules

```
likes (tom, jenny).      /* tom likes jenny */
eats (ben, apples).      /* ben eats apples */
```

- You can then query your database of facts:

```
?- eats (ben, bananas).
No /* does not match a fact in the database */
?- likes(tom, jenny).
Yes /* a match is found */
```

- What do /* …. */ signify?

Variables in Prolog

- Variables are distinguished by starting with an uppercase letter
- We have the statement

```
eats (ben, apples).     /* ben eats apples */
```

- We can find out what Ben eats by typing

```
?- eats (ben, Fruit).
```

- Prolog returns the answer

Fruit = apples

yes

Rules in Prolog

- Rules are expressed in the form of

  IF a is true, THEN b is true

- Consider the following logic:

  Lions eat meat

  Larry is a lion

  Therefore, Larry eats meat

In Prolog:

```
eats_meat (X) :-
    lion (X)/* if it's a lion, it eats meat  */
```

Does Larry eat meat?

- We have the facts and rule:

```
lion (larry)
eats_meat (lion)
eats_meat (X) :-
    lion (X)/* it eats meat if it's a lion */
```

- We can query our database:

```
?- eats_meat (larry)
```

- Prolog will reply

```
yes
```

Summary of Prolog

- Instead of defining how a problem is to be solved,
  the programmer states the facts and rules associated with the problem
- A fact is always unconditionally true, and a rule is true depending on a given condition
  - The order in which the facts and rules are stated is not important, so it is easy to add, change or delete rules
- Executing a program involves stating a goal to be achieved and allowing Prolog to determine whether that goal can be achieved using given facts and rules

Backtracking

- Given a problem to solve, Prolog selects a route through the maze of facts and rules
- Like Theseus and his ball of string in the Minotaur's maze, it can always find its way back if that proves to be a dead end
  - It will **backtrack** to the last decision point and try another route until either the goal is achieved or there are no further routes to try
  - **Backtracking** is an important feature of declarative programming

Applications of declarative programming

- This paradigm is well suited to programming expert systems
- The expert system embodies the facts and rules about a particular field of knowledge
  - Medical diagnosis
  - Oil exploration
  - Tax regulations
- It is also useful for processing natural language - English, Russian, Urdu, etc.

Worksheet 3

- Try the questions in **Task 2**

Object-oriented programming

- Object Oriented Programming (OOP) languages were developed to make it possible to abstract details of implementation away from the user
- The code is designed to be reusable
- It is easy to maintain
  - Some languages such as Python, Delphi and Visual Basic.NET support both OOP and procedural programming

Object-oriented programming

- The world is viewed as a collection of objects, such as:
  - person
  - animal
  - event
  - data structure, for example a queue or stack

What other objects can you think of?

Object-oriented programs

- A program consists of objects
  - Each object has its own data (attributes) and operations on that data (methods)
  - Objects interact with one another
  - All processing is done by objects

Example

- Imagine a program to simulate a frog hopping from lilypad to lilypad in a pond
- What would be:
  - The object?
  - An attribute?
  - A method?

Example

- Imagine a program to simulate a frog hopping from lilypad to lilypad in a pond
- What would be:
  - The object: frog
  - An attribute: colour, length of hop, position
  - A method: hop

Example

- A program to keep records of bank accounts
- What would be:
  - The object: ?
  - An attribute: ?
  - A method: ?

Example

- A program to keep records of bank accounts
- What would be:
  - The object: account
  - An attribute: account number, name (and other details) of holder, type of account, balance
  - A method: deposit money, withdraw money

Class

- A class is a blueprint for an object
- It defines attributes and methods that capture the common characteristics and behaviours of objects
  - A constructor is used to create objects based on the class

Encapsulation

- This is a fundamental principle of OOP
- Attributes and methods are wrapped into a single entity

Information hiding

- The object's attributes are hidden (private)
- Attributes are accessed and changed only through the object's methods
- Methods are required to set (setters) and retrieve (getters) an object's attributes
- To interact with an object, its methods must be accessible (public)

Example

- A drawing program may use a turtle to draw shapes
- We can define a turtle class
  - Each turtle has a position, a heading, a colour, etc.
  - Each turtle has **methods** such as forward, left, right
- We can create two new turtle objects with a statements such as:

```
Raphael =  new Turtle (x1, y1, 0, blue)

Donatello = new Turtle (x2, y2, 180, red)
```

Methods

- The **turtle** class has a number of **methods** such as forward, turn
- When Raphael and Donatello use the forward method, they will create different lines:

```
raphael = new Turtle (x1, y1, 0, blue)

donatello = new Turtle (x2, y2, 180, red)

raphael.forward (20)

donatello.forward (30)
```

Defining a class

- The methods and attributes belonging to a class are specified in a class definition

```
class Turtle
   private name
   private xcoord, ycoord, angle, colour
   public procedure new(x, y, myAngle,
myColour)
      xcoord = x
      (etc)
   endprocedure
   public procedure forward(steps)
      (statements to calculate new position)
   endprocedure
   (other procedures)
endclass
```

Inheritance

- Objects may be related to other objects in some way
- e.g. a cat and a rodent are both types of animal

Inheritance: a relationship among classes where a sub-class shares all of the attributes and methods of a parent class

- Each of the classes cat and rodent will inherit the attributes and methods of the Animal class
- They may, in addition, each have their own attributes and methods

The “is a” rule

- There is a simple rule to determine whether inheritance is appropriate in a program
- Ask: “Is object A an object B?
  - For example, **is a** cat an animal? **Is a** mouse a rodent?



Polymorphism

- An inherited class may have methods and attributes that do not exist in the parent class
- In addition, it may redefine methods that are defined the parent class
- For example, a parent class Bird may have a method **eat**
  - A subclass Parrot may define this as eating seeds
  - A subclass Eagle may define this as eating meat
  - A subclass Chicken may define this as eating both meat and seeds

Worksheet 3

- Try **Task 3** on **Worksheet 3**

Plenary

- You need to be able to:
  - describe the need for and characteristics of a variety of programming paradigms
  - describe the features of procedural languages
  - describe the features of declarative languages
  - describe the features of object-oriented languages
  - define and explain class, object, method, attribute, inheritance, encapsulation and polymorphism

Copyright

Licence agreement



PG ONLINE